

Listino Tubi elettrosaldati
Price list welded tubes
13 / 06 / 2022



Viale Grandi 7 e 9 - 42046 REGGIOLO (RE) – Italy

TEL: (+39) 0522 971421

commerciale.italia@profiltubi.it

export@profiltubi.it

SUPPLY CONDITIONS

1) LENGTHS:

- Tubes are supplied in lengths of 6 and/or 12 meters with maximum 5% of shorter lengths and/or cross welds.

2) QUANTITIES:

- It's admitted to supply within +/-10% tolerance on ordered quantities.

3) DIMENSIONAL TOLERANCES:

- According to EN 10219 and EN 10305 standard.

EXTRAS

CERTIFICATES:

- Certificate 2.2 according to EN 10204 no extra cost
- Certificate 3.1 according to EN 10204 5 Euro/ton
(to request upon order)

FIX CUTS:

- Cut of lengths between 6.000 mm. and 12.000 mm 20 Euro/ton
- Cut of lengths between 4.000 mm. and 5.999 mm 40 Euro/ton
- Cut of lengths between 12.001 mm and 13.500 mm 40 Euro/ton
- Offline cuts to be agreed

PARTICULAR STEEL GRADES REQUESTS:

to be agreed

TUBI DECAPATI - PICKLED TUBES

TUBI OVALI - OVAL TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
30x15	S 235 JR	175,7	226,9			
40x20	S 235 JR	232,9	296,9			
50x10	S 235 JR	259,8	337,3			
50x25	S 235 JR	305,3	397,6			
60x30	S 235 JR	366,5	475,9			

TUBI QUADRI - SQUARE TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
10x10	S 235 JR	103,8				
12x12	S 235 JR	117,2				
15x15	S 235 JR	147,9	178,6			
20x20	S 235 JR	167,4	213,2	272,0	317,5	
22x22	S 235 JR	199,9	259,4			
25x25	S 235 JR	210,8	267,3	336,4	366,6	
30x30	S 235 JR	249,4	318,0	400,8	453,3	
35x35	S 235 JR	300,2	409,6	484,7	534,9	
40x40	S 235 JR	321,4	395,5	519,2	603,9	804,2
45x45	S 235 JR	404,6	519,6	611,6	702,2	
50x50	S 235 JR	439,2	543,8	662,9	803,3	1.046,2
60x60	S 235 JR	496,8	612,8	808,0	953,5	1.270,0
70x70	S 235 JR	629,1	768,3		1.168,2	1.531,5
80x80	S 235 JR	719,1	863,4		1.317,6	1.718,9
90x90	S 235 JR		1.062,0		1.545,3	1.951,4
100x100	S 235 JR		1.101,5		1.669,5	2.214,6

TUBI RETTANGOLI - RECTANGULAR TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
15x10	S 235 JR	134,3				
20x10	S 235 JR	147,2	176,0			
20x15	S 235 JR	150,4	190,7			
25x10	S 235 JR	161,6	205,3			
25x15	S 235 JR	178,0	212,2			
30x10	S 235 JR	179,6	229,1			
30x15	S 235 JR	196,7	233,5			
30x20	S 235 JR	206,6	261,9	329,8	395,6	
30x25	S 235 JR	251,4	299,3			
35x15	S 235 JR	226,3	287,7			
35x20	S 235 JR	249,5	296,4			
35x25	S 235 JR	309,9	346,0			
40x10	S 235 JR	213,6	271,2			
40x15	S 235 JR	244,8	311,5	389,9		
40x20	S 235 JR	249,4	318,0	400,8	441,8	
40x25	S 235 JR	295,1	378,0			
40x27	S 235 JR	301,3	378,2			

TUBI RETTANGOLI - RECTANGULAR TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
40x30	S 235 JR	315,5	361,4	474,9	524,9	
45x15	S 235 JR	250,6				
45x20	S 235 JR	275,6	378,0			
45x25	S 235 JR	322,6	384,6			
50x10	S 235 JR	252,9	322,7			
50x15	S 235 JR	306,0	366,8			
50x20	S 235 JR	294,7	374,6	474,9	588,2	
50x25	S 235 JR	313,4	400,0	505,5	613,4	
50x30	S 235 JR	340,7	403,6	511,5	606,5	
50x40	S 235 JR	368,5	472,1	617,3	702,1	915,8
60x10	S 235 JR	334,1	399,6			
60x15	S 235 JR	349,7	447,8			
60x20	S 235 JR	346,9	412,1	522,0	646,2	
60x30	S 235 JR	391,7	467,2	590,5	691,8	
60x40	S 235 JR	425,6	503,9	639,7	799,4	
60x50	S 235 JR	478,1	646,1			
70x20	S 235 JR	412,0	528,9			
70x30	S 235 JR	457,5	576,2			
70x40	S 235 JR	493,6	634,2		877,7	
70x50	S 235 JR		699,8		994,1	
80x20	S 235 JR	421,0	538,7		831,9	
80x30	S 235 JR	504,7	604,7	766,8	891,7	
80x40	S 235 JR	538,0	619,5	815,9	953,5	1.270,0
80x50	S 235 JR		717,5		1.076,0	
80x60	S 235 JR	610,7	742,7		1.175,4	
100x20	S 235 JR	530,7	680,5			
100x30	S 235 JR	583,4	749,9	976,7		
100x40	S 235 JR	603,9	807,7		1.150,1	
100x50	S 235 JR	645,3	801,3		1.237,0	1.628,9
100x60	S 235 JR		928,3		1.333,4	1.742,8
100x80	S 235 JR					1.951,4
120x40	S 235 JR		883,1		1.333,4	
120x60	S 235 JR				1.678,4	1.951,4
120x80	S 235 JR		1.192,0		1.678,8	2.214,6
140x60	S 235 JR				1.678,8	2.212,7
150x50	S 235 JR		1.183,0		1.678,8	2.214,6

TUBI DECAPATI - PICKLED TUBES

TUBI TONDI - ROUND TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
12	S 235 JR	92,7				
14	S 235 JR	107,9	131,8			
16	S 235 JR	113,9	141,2			
17,2	S 235 JR		152,6			
18	S 235 JR	122,2	153,1			
20	S 235 JR	139,5	174,0			
21,3	S 235 JR	144,5	169,2			
22	S 235 JR	142,2	177,4	238,7		
25	S 235 JR	157,9	197,2	248,7	299,0	
26,9	S 235 JR		228,6	275,4	325,3	
28	S 235 JR	176,5	220,6	278,9		
30	S 235 JR	202,9	236,5		362,0	
32	S 235 JR	202,2	272,9			
33,7	S 235 JR		265,2	336,8	401,2	
35	S 235 JR	237,4	277,3	352,1	425,2	
38	S 235 JR	257,5	324,4	382,4		
40	S 235 JR	276,5	349,0	412,5	496,2	
42,4	S 235 JR	256,5	337,5	429,9	527,6	
45	S 235 JR	312,6	366,9		559,4	
48,3	S 235 JR	294,3	386,9	493,3	601,6	791,2
50	S 235 JR	324,9	409,8		625,0	
60,3	S 235 JR	372,2	486,6	623,2	762,3	
70	S 235 JR	492,0	624,7		889,5	
76,1	S 235 JR	513,0	673,3	801,0	972,1	
80	S 235 JR	574,0	730,1		1.030,3	
88,9	S 235 JR		811,9	1.005,8	1.210,0	
101,6	S 235 JR		914,6	1.110,8	1.339,0	

TUBI SERRAMENTI / WINDOW FRAMES € /100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00
1-A	S 235 JR	330,9				
1-B	S 235 JR	416,9				
1-C	S 235 JR	387,9				
2-A	S 235 JR	337,8				
11-A	S 235 JR	259,9				
11-B	S 235 JR	302,7				
11-C	S 235 JR	309,5				
15-A	S 235 JR	380,6				
15-T	S 235 JR	451,8				
15-Z	S 235 JR	451,8				
16-A	S 235 JR	436,9				
16-B	S 235 JR	436,9				
16-Z	S 235 JR	487,8				
21-L	S 235 JR	429,6				
21-T	S 235 JR	552,9				
21-Z	S 235 JR	552,9				
MT9	S 235 JR	352,3				
SF1B	S 235 JR	428,4				
SF2B	S 235 JR	505,3				
SF3B	S 235 JR	501,5				
L-30x50-20	S 235 JR		600,7			
T-27x40-15	S 235 JR		574,8			
T-30x50-20	S 235 JR		720,7			

TUBI NERI - BLACK TUBES S 235 JR

TUBI QUADRI - SQUARE TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
15x15	S 235 JR	131,2	149,7							
20x20	S 235 JR	157,2	187,0	227,1	254,0					
25x25	S 235 JR	189,5	225,0	277,0	317,7					
30x30	S 235 JR	225,4	268,6	354,1	379,5	480,9				
34x34	S 235 JR		380,1		549,3					
35x35	S 235 JR	265,4	331,8	442,3	450,4	624,5				
40x40	S 235 JR	300,6	361,3	435,7	501,0	649,1	780,5			
45x45	S 235 JR	399,0	441,5	591,1	592,5	842,0				
50x50	S 235 JR	406,2	478,1	597,6	645,3	832,7	1.013,7	1.259,7		
60x60	S 235 JR	465,2	563,0	757,4	797,7	1.036,8	1.256,3	1.675,8		
70x70	S 235 JR	585,1	670,1	942,9	953,1	1.246,5	1.517,2	1.802,5		
80x80	S 235 JR		757,6	1.022,9	1.080,1	1.417,2	1.737,0	2.069,9		
90x90	S 235 JR		948,5	1.202,1	1.245,3	1.642,4	2.002,0	2.408,5		
100x100	S 235 JR		982,0	1.190,9	1.368,9	1.798,5	2.213,5	2.665,7		
110x110	S 235 JR				1.832,2	2.101,4	2.586,4	3.113,8		
120x120	S 235 JR			1.570,8	1.679,0	2.220,8	2.737,1	3.301,8		
140x140	S 235 JR				2.150,5	2.755,2	3.422,4	4.083,3		
150x150	S 235 JR			2.099,8	2.262,7	2.878,3	3.565,9	4.329,6		
175x175	S 235 JR				2.991,4	3.575,5	4.351,7	5.157,2		
200x200	S 235 JR				3.155,2	4.127,7	4.922,5	5.965,3		

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,5	2	2,5	3	4	5	6	8	10
20x10	S 235 JR	124,7	143,7							
20x15	S 235 JR	137,1	161,6							
25x10	S 235 JR	155,3	184,8							
25x15	S 235 JR	168,9	185,0							
30x10	S 235 JR	166,7	198,9							
30x15	S 235 JR	184,1	208,9	276,0	299,7					
30x20	S 235 JR	186,7	223,6	309,5	336,1					
30x25	S 235 JR	245,9	259,3	356,7	413,5					
35x15	S 235 JR	217,2	245,3							
35x20	S 235 JR	228,7	259,3							
35x25	S 235 JR	289,7	303,0	346,6						
40x10	S 235 JR	193,3	232,0							
40x15	S 235 JR	239,5	278,3	356,7						
40x20	S 235 JR	223,2	268,6	357,5	370,9					
40x25	S 235 JR	284,8	311,6	379,8	464,8					
40x27	S 235 JR	293,8	323,6	429,4						
40x30	S 235 JR	287,2	314,9	379,3	440,2	564,6				
45x20	S 235 JR	250,4	347,2							
50x10	S 235 JR	237,2	286,8							
50x15	S 235 JR	294,9	315,9							
50x20	S 235 JR	268,2	325,5	419,6	455,3					
50x25	S 235 JR	286,1	343,8	418,9	488,4					
50x30	S 235 JR	346,6	365,4	440,9	513,1	664,2				
50x40	S 235 JR	350,5	423,8	525,1	592,5	772,5				
60x10	S 235 JR	324,5	350,3							
60x15	S 235 JR	343,8	405,8							
60x20	S 235 JR	356,1	381,9	471,4	536,7					

TUBI NERI - BLACK TUBES S 235 JR

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,5	2	2,5	3	4	5	6	8	10
60x30	S 235 JR	395,5	418,9	544,5	592,5	772,5				
60x40	S 235 JR	416,7	458,3	556,3	645,3	842,2	1.026,0			
60x50	S 235 JR	442,1	589,8	680,0	790,9	1.053,2	1.319,1			
70x20	S 235 JR	415,2	506,1	623,0	626,7					
70x30	S 235 JR	448,6	502,2	656,7	696,8	959,5				
70x40	S 235 JR	497,1	560,0	732,2	738,3	967,4	1.358,5			
70x50	S 235 JR	477,2	626,7	800,7	806,9	1.049,5	1.417,2	1.615,4		
80x20	S 235 JR	406,5	489,9		767,8					
80x30	S 235 JR	497,1	522,9	732,2	746,5	1.047,6				
80x40	S 235 JR	538,1	563,0	686,6	797,7	1.049,5	1.285,9	1.592,6		
80x50	S 235 JR	525,1	627,8	880,1	889,7	1.160,9	1.424,8	1.789,0		
80x60	S 235 JR	559,9	670,1	942,9	953,1	1.246,5	1.517,2	1.907,4		
90x50	S 235 JR		696,6	904,5	975,3	1.274,3	1.680,5	2.242,0		
90x70	S 235 JR		864,1		1.213,2	1.582,2	1.939,2			
100x20	S 235 JR	581,4	623,9	810,2	997,5					
100x30	S 235 JR	556,0	665,8		930,8	1.227,2				
100x40	S 235 JR	653,6	717,2	942,9	953,1	1.260,6	1.662,1	1.973,7		
100x50	S 235 JR		736,0	964,7	1.019,9	1.335,5	1.650,9	2.132,0		
100x60	S 235 JR		843,4	1.081,4	1.092,5	1.433,3	1.756,8	2.159,5		
100x80	S 235 JR		896,5		1.245,3	1.642,4	2.148,3	2.408,5		
110x50	S 235 JR		834,6		1.217,9	1.715,0	1.848,1			
110x70	S 235 JR				1.401,2	1.837,3	2.239,7			
120x30	S 235 JR		842,7	996,1	1.161,0	1.574,7				
120x40	S 235 JR		822,5	1.047,1	1.124,9	1.491,6	1.848,1			
120x50	S 235 JR		1.043,4	1.255,0	1.304,0	1.759,4	2.332,2	2.612,8		
120x60	S 235 JR		911,3	1.259,4	1.245,3	1.642,4	2.002,0	2.484,3		
120x80	S 235 JR		1.072,6	1.272,1	1.377,2	1.808,0	2.225,1	2.681,8		
120x100	S 235 JR				1.659,0	2.313,2	2.694,1	3.241,0		
130x50	S 235 JR		1.086,3		1.533,2	1.717,3	2.322,3			
140x40	S 235 JR		922,8		1.349,8	1.896,8	2.139,8			
140x50	S 235 JR		1.094,4		1.417,6	1.961,1				
140x60	S 235 JR		1.094,7	1.340,6	1.449,7	2.020,6	2.252,1	2.862,5		
140x70	S 235 JR		1.169,7		1.609,5	2.149,3	2.512,4	3.018,8		
140x80	S 235 JR				1.636,5	2.078,8	2.558,4	3.083,2		
150x30	S 235 JR		1.025,3	1.202,1	1.444,6	1.990,0				
150x40	S 235 JR		1.191,4	1.312,4	1.668,7	1.949,8	2.652,3			
150x50	S 235 JR		1.105,4		1.449,7	1.831,5	2.277,5	2.892,3		
150x60	S 235 JR				1.593,1	2.024,5	2.866,2			
150x100	S 235 JR				1.908,8	2.436,8	2.992,8	3.615,9		
160x60	S 235 JR				1.808,4	2.236,2	2.750,1	3.477,6		
160x80	S 235 JR				1.747,3	2.220,8	2.737,1	3.301,8		
180x60	S 235 JR				1.795,3	2.423,5	2.772,4	3.394,8		
180x80	S 235 JR				2.025,1	2.604,0	3.126,3	3.768,9		
180x100	S 235 JR				2.225,6	2.912,5	3.460,5	4.171,5		
200x80	S 235 JR				2.270,1	2.969,0	3.532,9	4.260,6		
200x100	S 235 JR				2.301,4	2.992,2	3.716,7	4.470,4		
200x150	S 235 JR				2.730,8	3.632,5	4.422,2	5.354,0		
250x100	S 235 JR				2.880,0	3.632,5	4.422,2	5.354,0		

TUBI NERI - BLACK TUBES S 235 JR

TUBI SERRAMENTI - WINDOW FRAMES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
1-A	S 235 JR	321,4								
1-B	S 235 JR	404,4								
1-C	S 235 JR	369,7								
11-A	S 235 JR	252,4								
16-D	S 235 JR		819,8							

TUBI TONDI - ROUND TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
16	S 235 JR	111,0								
17,2	S 235 JR		154,4							
18	S 235 JR	115,9	136,1							
20	S 235 JR	134,6	156,9							
21,3	S 235 JR		159,8	194,9	255,9					
22	S 235 JR	143,8	175,0							
25	S 235 JR	154,5	185,9	262,3	285,4					
26,9	S 235 JR	177,3	209,7	245,3	327,5					
28	S 235 JR	172,5	208,3		341,0					
30	S 235 JR	195,9	223,3	272,1	318,2					
32	S 235 JR	198,0	256,0							
33,7	S 235 JR	235,1	249,5	303,6	352,8	468,7				
35	S 235 JR	236,2	262,3	318,2	427,6					
38	S 235 JR	266,8	305,1	346,5	444,4	611,1				
40	S 235 JR	267,5	318,3	373,8	467,4					
42,4	S 235 JR	262,0	318,4	389,0	453,2	599,5	737,3			
45	S 235 JR	311,2	346,7		544,9					
48,3	S 235 JR	299,8	364,5	446,0	521,0	683,5	844,6			
50	S 235 JR	316,8	387,5	521,4	553,7	778,0	1.032,4			
60,3	S 235 JR	377,9	460,5	563,0	659,2	867,9	1.066,6	1.353,3		
70	S 235 JR	509,0	629,1	773,8	822,5	1.115,5	1.281,0			
76,1	S 235 JR	528,3	650,2	778,0	850,7	1.205,8	1.387,1	1.677,0		
80	S 235 JR	594,1	687,6	905,9	992,2	1.226,6	1.737,0			
88,9	S 235 JR		750,7	923,3	1.011,9	1.340,0	1.647,2	2.006,6		
101,6	S 235 JR		803,0	1.136,3	1.209,6	1.604,8	2.039,1	2.300,3		
108	S 235 JR		958,9		1.388,8	1.680,4	2.222,3	2.751,2		
114,3	S 235 JR		906,1	1.281,7	1.309,9	1.743,1	2.158,9	2.610,1		
121	S 235 JR		1.155,0		1.592,0	2.111,4	2.390,6			
127	S 235 JR		1.119,5	1.343,9	1.536,5	2.073,1	2.660,0	2.951,5		
133	S 235 JR			1.406,6	1.674,2	2.078,8	2.696,5	3.384,0		
139,7	S 235 JR				1.642,2	2.191,3	2.877,3	3.299,3		
152,4	S 235 JR			1.544,2	1.819,7	2.530,7	3.005,7	4.001,7		
159	S 235 JR				1.962,7	2.502,2	3.293,3	3.772,0		
168,3	S 235 JR				2.123,2	2.649,2	3.484,0	3.999,1		
193,7	S 235 JR				2.331,2	3.058,1	3.929,9	4.818,7		
219,1	S 235 JR				2.724,2	3.486,9	4.452,8	5.460,0		

TUBI NERI - BLACK TUBES S 275 JO / J2

TUBI QUADRI - SQUARE TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
20x20	S 275 JO/J2		190,7		288,8					
25x25	S 275 JO/J2		229,8	282,8	324,5					
30x30	S 275 JO/J2		274,7	361,1	388,0	491,2				
35x35	S 275 JO/J2		338,8		460,5	636,9				
40x40	S 275 JO/J2		369,6	445,9	513,0	664,1	798,3			
45x45	S 275 JO/J2				606,1					
50x50	S 275 JO/J2		488,4		660,8	852,4	1.037,2	1.295,2		
60x60	S 275 JO/J2		575,8		816,5	1.061,0	1.285,6	1.720,2		
70x70	S 275 JO/J2				974,9	1.275,1	1.551,9	1.855,7		
80x80	S 275 JO/J2		774,9		1.105,6	1.450,4	1.777,8	2.132,0		
90x90	S 275 JO/J2				1.274,1	1.679,9	2.047,8	2.479,7		
100x100	S 275 JO/J2				1.401,0	1.840,6	2.265,3	2.745,8		
110x110	S 275 JO/J2					2.147,7	2.643,1	3.202,9		
120x120	S 275 JO/J2				1.717,8	2.271,8	2.799,9	3.399,2		
140x140	S 275 JO/J2				2.216,0	2.834,4	3.520,4	4.198,7		
150x150	S 275 JO/J2				2.311,0	2.942,3	3.645,2	4.453,9		

TUBI RETTANGOLI . RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
26,9	S 275 JO/J2			250,7	333,4					
30	S 275 JO/J2		228,3		325,3					
33,7	S 275 JO/J2			310,5	361,1	479,0				
35	S 275 JO/J2				411,6					
38	S 275 JO/J2				450,0	581,4				
40	S 275 JO/J2		324,9		476,8					
42,4	S 275 JO/J2				463,5	613,0				
45	S 275 JO/J2		354,2		555,8					
48,3	S 275 JO/J2				532,9	699,2	863,7			
50	S 275 JO/J2				566,0					
60,3	S 275 JO/J2		470,8	575,8	674,3	888,0	1.090,9			
70	S 275 JO/J2			787,8	840,0		1.391,8			
76,1	S 275 JO/J2			793,8	870,0			1.725,9		
80	S 275 JO/J2					1.253,1	1.767,9			
88,9	S 275 JO/J2						1.683,7	2.064,6		
101,6	S 275 JO/J2				1.235,2	1.638,6	2.080,4	2.366,6		
108	S 275 JO/J2									
114,3	S 275 JO/J2		925,8		1.339,3	1.781,8	2.206,7	2.685,5		
121	S 275 JO/J2				1.644,0	2.180,0				
127	S 275 JO/J2					2.130,4	2.726,0			
133	S 275 JO/J2				1.707,5		2.767,5	3.422,4		
139,7	S 275 JO/J2				1.678,1	2.238,7	2.955,9	3.392,6		
152,4	S 275 JO/J2				1.858,9	2.599,8	3.069,8			
159	S 275 JO/J2							3.878,4		
168,3	S 275 JO/J2				2.165,4	2.706,5	3.572,2	4.112,2		
193,7	S 275 JO/J2				2.504,7		4.040,2	4.949,4		
219,1	S 275 JO/J2						4.577,8	5.608,1		

TUBI NERI - BLACK TUBES S 275 JO / J2

TUBI RETTANGOLI . RECTANGULAR TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
30x15	S 275 JO/J2		213,0		319,4					
30x20	S 275 JO/J2	190,6			342,5					
40x20	S 275 JO/J2		274,7		379,4					
40x25	S 275 JO/J2		318,2		473,7					
40x30	S 275 JO/J2		321,8		450,2					
50x20	S 275 JO/J2		332,6	427,9	465,4					
50x25	S 275 JO/J2		351,6	428,3	499,3					
50x30	S 275 JO/J2		373,5	451,0	525,0	679,2				
50x40	S 275 JO/J2		433,0			789,6				
60x20	S 275 JO/J2		390,1		548,3					
60x30	S 275 JO/J2		428,3	555,7	606,1	789,6				
60x40	S 275 JO/J2		468,8	569,3	660,8	861,7	1.049,6			
60x50	S 275 JO/J2				807,5	1.074,4				
70x30	S 275 JO/J2		512,3	668,9	711,9					
70x40	S 275 JO/J2		571,3		755,3	988,9	1.383,3			
70x50	S 275 JO/J2				825,4	1.073,5	1.445,2			
80x30	S 275 JO/J2				763,3	1.068,6				
80x40	S 275 JO/J2		575,8	702,2	816,5	1.073,5	1.314,9	1.637,0		
80x50	S 275 JO/J2		641,6		909,8	1.187,1	1.456,5	1.837,9		
80x60	S 275 JO/J2				974,9	1.275,1	1.551,9	1.960,6		
90x50	S 275 JO/J2				997,2	1.302,7				
100x40	S 275 JO/J2		731,8		974,9	1.288,8				
100x50	S 275 JO/J2		752,0	984,1	1.043,5	1.366,2	1.688,4	2.189,9		
100x60	S 275 JO/J2				1.117,9	1.466,5	1.797,4	2.221,5		
100x80	S 275 JO/J2				1.274,1	1.679,9	2.143,8	2.479,7		
120x40	S 275 JO/J2		839,4							
120x50	S 275 JO/J2		1.053,8		1.330,2	1.793,1	2.372,5			
120x60	S 275 JO/J2			1.282,3	1.274,1	1.679,9	2.047,8	2.554,8		
120x80	S 275 JO/J2		1.093,5		1.409,6	1.850,1	2.276,8	2.761,9		
120x100	S 275 JO/J2					2.357,9	2.750,0			
140x40	S 275 JO/J2				1.377,8					
140x60	S 275 JO/J2				1.481,5	2.061,1		2.942,5		
140x70	S 275 JO/J2					2.208,0	2.566,0	3.103,3		
140x80	S 275 JO/J2				1.671,3	2.125,0	2.615,4	3.172,4		
150x30	S 275 JO/J2				1.472,1					
150x40	S 275 JO/J2				1.706,7					
150x50	S 275 JO/J2		1.126,0		1.481,5	1.873,5	2.328,9			
150x60	S 275 JO/J2									
150x100	S 275 JO/J2				1.948,5	2.489,5	3.057,4	3.718,2		
160x60	S 275 JO/J2						2.805,7			
160x80	S 275 JO/J2				1.785,6	2.271,8	2.799,9	3.399,2		
180x60	S 275 JO/J2				1.833,2		2.835,0	3.492,4		
180x80	S 275 JO/J2				2.066,1	2.677,4	3.193,7			
180x100	S 275 JO/J2					2.970,7	3.533,1	4.287,0		
200x80	S 275 JO/J2				2.313,7			4.376,1		
200x100	S 275 JO/J2				2.349,4	3.055,4	3.822,2	4.594,8		
200x150	S 275 JO/J2					3.706,4		5.500,5		
250x100	S 275 JO/J2					3.706,4	4.513,9	5.500,5		

TUBI NERI - BLACK TUBES S 355 J0 / J2

TUBI QUADRI - SQUARE TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
20x20	S 355 J0/J2		196,3		298,3					
25x25	S 355 J0/J2		237,5		335,1					
30x30	S 355 J0/J2		284,3	372,3	401,5	504,1				
35x35	S 355 J0/J2		350,1		476,8	651,9				
40x40	S 355 J0/J2		383,0	462,3	532,5	683,3	820,9			
45x45	S 355 J0/J2		465,4		628,1	879,0				
50x50	S 355 J0/J2		505,1	630,6	685,8	877,4	1.067,0	1.297,9		
60x60	S 355 J0/J2		596,4		846,9	1.091,5	1.322,6	1.787,1		
70x70	S 355 J0/J2				1.010,9	1.311,0	1.595,8	1.862,5		
80x80	S 355 J0/J2		802,9		1.147,3	1.492,4	1.829,2	2.141,6	2.910,8	
90x90	S 355 J0/J2				1.320,8	1.727,4	2.105,7	2.488,9		
100x100	S 355 J0/J2				1.454,0	1.894,0	2.330,9	2.758,0	3.703,4	4.456,2
110x110	S 355 J0/J2				1.918,7	2.205,1	2.714,0	3.210,5		
120x120	S 355 J0/J2			1.662,2	1.780,8	2.335,9	2.879,0	3.412,0	4.557,9	5.508,7
140x140	S 355 J0/J2				2.281,5	2.910,3	3.608,7	4.328,0	5.478,8	6.668,9
150x150	S 355 J0/J2				2.388,7	3.022,5	3.744,6	4.449,5	5.914,9	7.229,0
160x160	S 355 J0/J2					3.327,0	4.040,2	4.811,0	6.430,7	7.846,3
175x175	S 355 J0/J2				3.130,3	3.740,9	4.557,8	5.315,1		
180x180	S 355 J0/J2					3.853,3	4.583,5	5.457,0	7.311,5	8.959,6
200x200	S 355 J0/J2					4.316,6	5.161,1	6.145,9	8.271,5	10.021,3
250x250	S 355 J0/J2						6.880,2	8.192,1	10.930,2	13.477,2
300x300	S 355 J0/J2							10.479,8	14.234,8	17.370,3

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
30x15	S 355 J0/J2				323,2					
30x20	S 355 J0/J2				352,9					
40x20	S 355 J0/J2		284,3		393,1					
40x25	S 355 J0/J2		328,4		488,0					
40x30	S 355 J0/J2		333,5		466,8	593,3				
50x25	S 355 J0/J2		363,8	443,3	517,2					
50x30	S 355 J0/J2		387,1	467,5	544,2	698,1				
50x40	S 355 J0/J2		448,2		628,1	811,2				
60x30	S 355 J0/J2		443,3	573,7	628,1	811,2				
60x40	S 355 J0/J2		486,0		685,8	886,6	1.079,1	1.297,9		
70x40	S 355 J0/J2				782,8	1.016,1	1.412,8			
70x50	S 355 J0/J2		658,6		855,9	1.103,8	1.479,5	1.701,0		
80x30	S 355 J0/J2		553,2		790,7	1.094,6				
80x40	S 355 J0/J2		596,4	728,0	846,9	1.103,8	1.351,4	1.639,5		
80x50	S 355 J0/J2		663,8		942,9	1.220,1	1.496,2	1.839,1	2.362,4	
80x60	S 355 J0/J2		709,2		1.010,9	1.311,0	1.595,8	1.963,4		
90x50	S 355 J0/J2				1.032,6	1.338,3	1.755,1			
90x70	S 355 J0/J2		901,3		1.300,5	1.696,0	2.078,5			
100x30	S 355 J0/J2		700,9		983,1	1.284,2	1.680,1			
100x40	S 355 J0/J2		755,3		1.010,9	1.324,7	1.737,3	2.022,9		
100x50	S 355 J0/J2		777,6	1.015,1	1.082,3	1.405,2	1.735,8	2.241,7	3.134,5	
100x60	S 355 J0/J2		886,6		1.159,4	1.508,2	1.848,5	2.224,5	3.228,6	

TUBI NERI - BLACK TUBES S 355 J0 / J2

TUBI RETTANGOLI - RECTANGULAR TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
100x80	S 355 J0/J2				1.320,8	1.727,4	2.196,9	2.488,9	3.720,8	
120x40	S 355 J0/J2		866,2		1.191,0	1.565,2	1.937,5			
120x50	S 355 J0/J2		1.079,8		1.372,0	1.834,0	2.419,9	2.743,8		
120x60	S 355 J0/J2		961,1		1.320,8	1.727,4	2.105,7	2.558,1	3.436,2	
120x80	S 355 J0/J2				1.462,2	1.903,3	2.342,2	2.773,5	3.818,0	4.782,1
120x100	S 355 J0/J2				1.749,6	2.411,7	2.819,0	3.332,7		
130x50	S 355 J0/J2		1.073,2		1.515,5	1.926,2	2.262,0			
140x40	S 355 J0/J2				1.423,0	1.975,8	2.240,2			
140x60	S 355 J0/J2				1.532,8	2.110,8	2.368,8	2.947,2	3.890,6	
140x70	S 355 J0/J2				1.695,0	2.257,7	2.632,2	3.107,8		
140x80	S 355 J0/J2				1.727,5	2.182,9	2.686,6	3.181,2	4.420,2	5.517,1
150x30	S 355 J0/J2				1.515,5					
150x40	S 355 J0/J2		1.208,8		1.693,7	1.978,8				
150x50	S 355 J0/J2				1.532,8	1.926,2	2.393,3	2.975,7		
150x60	S 355 J0/J2				1.679,0	2.122,9	2.977,6			
150x100	S 355 J0/J2				2.011,9	2.554,9	3.137,9	3.725,5	4.978,0	6.304,0
160x60	S 355 J0/J2				1.908,5	2.336,7	2.873,8	3.647,3		
160x80	S 355 J0/J2				1.847,7	2.335,9	2.879,0	3.412,0	4.789,4	6.003,4
180x60	S 355 J0/J2				1.894,3	2.549,7	2.913,4	3.578,3	4.882,7	
180x80	S 355 J0/J2				2.131,9	2.741,7	3.277,6	3.882,7	5.443,2	
180x100	S 355 J0/J2				2.339,5	3.041,7	3.622,8	4.291,7	5.914,0	7.191,1
200x80	S 355 J0/J2				2.382,8	3.097,0	3.693,6	4.377,2	6.135,8	
200x100	S 355 J0/J2				2.426,6	3.133,7	3.922,7	4.743,8	6.194,2	7.560,0
200x150	S 355 J0/J2				2.875,8		4.626,6	5.503,9	7.503,2	9.184,7
250x100	S 355 J0/J2				3.041,2	3.796,6	4.626,6	5.503,9	7.503,2	9.184,7
250x150	S 355 J0/J2					4.377,3	5.347,0	6.363,5	8.843,2	10.714,1
300x100	S 355 J0/J2					4.422,1	5.426,2	6.379,7	9.001,3	11.053,0
300x150	S 355 J0/J2					5.324,7	6.218,5	7.476,6	10.220,9	12.565,5
300x200	S 355 J0/J2					5.725,2	7.044,9	8.385,0	11.285,8	13.909,3

TUBI NERI - BLACK TUBES S 355 J0 / J2

TUBI TONDI - ROUND TUBES €/100 mt.

Spessore - Thickness mm.

dimensioni	qualità	1,50	2,00	2,50	3,00	4,00	5,00	6,00	8,00	10,00
26,9	S 355 J0/J2				343,0					
28	S 355 J0/J2				357,2					
33,7	S 355 J0/J2				374,3	492,1				
42,4	S 355 J0/J2				480,8	630,0				
48,3	S 355 J0/J2				552,5	718,8	887,5			
50	S 355 J0/J2				586,2	813,2				
60,3	S 355 J0/J2				699,2	913,1	1.121,9			
70	S 355 J0/J2				868,2	1.165,9	1.345,7			
76,1	S 355 J0/J2				901,4	1.261,1	1.457,7	1.731,6		
80	S 355 J0/J2				1.043,3	1.286,0	1.805,0			
88,9	S 355 J0/J2			971,4	1.071,4	1.407,3	1.729,7	2.070,3		
101,6	S 355 J0/J2				1.276,8	1.680,4	2.131,3	2.373,4		
114,3	S 355 J0/J2				1.386,8	1.830,5	2.267,0	2.693,1		
121	S 355 J0/J2				1.696,2	2.332,3	2.502,8			
127	S 355 J0/J2				1.620,5	2.181,3	2.792,0	3.043,1	4.143,4	
133	S 355 J0/J2				1.760,7	2.179,3	2.838,5	3.460,8		
139,7	S 355 J0/J2				1.735,9	2.297,7	3.025,2	3.399,2	4.625,0	
152,4	S 355 J0/J2				1.922,2	2.661,4	3.149,3	4.095,7	5.121,8	6.234,5
159	S 355 J0/J2				2.162,4	2.623,4	3.460,0	3.885,8	5.304,8	6.552,0
168,3	S 355 J0/J2				2.233,0	2.777,7	3.660,3	4.120,3	5.621,0	6.856,7
193,7	S 355 J0/J2				2.477,8	3.206,5	4.137,5	5.056,9	6.510,4	8.081,5
219,1	S 355 J0/J2				2.869,5	3.654,5	4.689,6	5.743,5	7.438,0	9.226,0
244,5	S 355 J0/J2					4.066,8	5.058,2	6.060,3	8.307,1	10.311,4
273	S 355 J0/J2					4.731,8	5.888,1	7.057,1	9.679,6	12.024,3
323,9	S 355 J0/J2					6.381,4	7.012,3	8.396,9	11.522,0	14.348,4

TUBI ZINCATI - GALVANISED TUBES "SENDZIMIR"

TUBI OVALI - OVAL TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
30x15	zinc.	199,0	259,6			
40x20	zinc.	264,9	347,5			
50x10	zinc.	294,8	387,1			
50x25	zinc.	346,0	455,6			
60x30	zinc.	413,8	546,2			

TUBI QUADRI - SQUARE TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
15x15	zinc.	168,3	204,5			
20x20	zinc.	194,7	242,8	290,9		
25x25	zinc.	230,1	293,6	346,8	410,3	
30x30	zinc.	272,9	348,9	415,0	487,8	
34x34	zinc.	404,8	483,5	568,8		
35x35	zinc.	322,1	418,8	516,9	581,2	
40x40	zinc.	354,9	452,8	569,8	641,0	
45x45	zinc.	420,1	544,4	664,8	762,9	
50x50	zinc.	450,8	575,0	725,4	859,2	1.093,9
60x60	zinc.	545,5	696,9	880,9	1.045,7	1.347,1
70x70	zinc.	720,2	915,9	1.148,2	1.365,8	1.789,2
80x80	zinc.	827,0	1.052,8	1.320,5	1.380,4	1.859,9
100x100	zinc.		1.238,5	1.519,4	1.756,8	2.342,2
120x120	zinc.				2.180,3	2.866,6
150x150	zinc.				3.029,8	3.955,8

TUBI RETTANGOLI - RECTANGULAR TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
20x10	zinc.	147,8	185,7			
20x15	zinc.	172,6	217,8			
25x10	zinc.	173,9	219,6			
25x15	zinc.	193,7	245,0			
25x20	zinc.	217,3	275,2			
30x10	zinc.	195,4	246,8			
30x15	zinc.	205,0	263,2			
30x20	zinc.	226,2	291,0	352,4	398,5	
30x25	zinc.	258,7	333,8			
35x10	zinc.	215,8	277,3			
35x15	zinc.	231,1	297,6			
35x20	zinc.	256,3	330,8			
35x25	zinc.	326,8	361,0	438,3		
40x10	zinc.	233,2	300,3			
40x15	zinc.	251,7	325,1			
40x20	zinc.	271,0	350,0	424,9	483,3	
40x25	zinc.	301,3	389,5	473,7	557,1	
40x27	zinc.	313,3	398,3			

TUBI RETTANGOLI - RECTANGULAR TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
40x30	zinc.	322,1	417,5	507,5	569,9	
40x35	zinc.	359,2				
45x10	zinc.	258,7	327,9			
45x15	zinc.	277,2	357,9			
45x20	zinc.	301,3	389,5			
45x25	zinc.	329,4	426,9	519,2		
45x30	zinc.	355,8	460,7			
45x35	zinc.	375,5	478,5	592,9		
50x10	zinc.	279,7	361,0			
50x15	zinc.	312,1	404,0			
50x20	zinc.	322,1	417,5	507,5	584,7	
50x25	zinc.	344,8	446,6	544,0	628,4	
50x30	zinc.	356,4	461,4	562,3	653,7	
50x35	zinc.	405,7	517,2			
50x40	zinc.	410,6	532,6			
60x10	zinc.	341,2	442,1			
60x15	zinc.	359,2	465,0			
60x20	zinc.	367,4	478,2	572,6	675,8	
60x25	zinc.	405,7	526,2	641,5		
60x30	zinc.	409,9	527,6	644,2	750,7	
60x40	zinc.	443,0	575,0	702,9	817,8	1.059,7
60x50	zinc.	529,3	688,6	841,0		
70x20	zinc.	427,7	554,5	676,8		
70x25	zinc.	452,8	577,3			
70x30	zinc.	475,7	597,5	754,8	851,0	
70x40	zinc.	511,2	663,9	812,1		
70x50	zinc.	567,9	725,3	916,6		
80x15	zinc.	462,4	600,8			
80x20	zinc.	475,5	610,5			
80x30	zinc.	522,6	668,5	830,2	938,4	
80x40	zinc.	558,8	708,5	861,9	1.001,1	1.358,6
80x50	zinc.		795,6	1.002,9	1.148,3	
80x60	zinc.	676,2	852,8	1.078,4	1.219,0	
90x20	zinc.	564,1	734,0			
90x30	zinc.	613,4	799,5	975,9		
90x40	zinc.	670,5	874,1			
90x50	zinc.	720,2	939,2		1.338,0	
100x20	zinc.	598,0	766,2			
100x30	zinc.	643,7	837,8		1.153,6	
100x40	zinc.	671,3	853,7	1.046,1	1.215,8	
100x50	zinc.	718,0	913,5	1.119,1	1.297,1	1.750,6
100x60	zinc.		1.010,7	1.215,0	1.413,0	1.920,6
100x80	zinc.		1.146,0	1.370,4	1.617,6	
120x30	zinc.		946,3		1.379,4	
120x40	zinc.	893,0	1.016,6		1.439,8	1.939,8
120x50	zinc.		1.078,5		1.574,1	

TUBI ZINCATI - GALVANISED TUBES "SENDZIMIR"

TUBI RETTANGOLI - RECTANGULAR TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
120x60	zinc.		1.130,8		1.596,1	2.135,6
120x80	zinc.		1.279,3		1.813,4	2.387,2
140x60	zinc.		1.305,3		1.924,2	
140x80	zinc.				2.112,3	
150x30	zinc.		1.160,2		1.694,1	
150x40	zinc.		1.231,6			
150x50	zinc.		1.282,7		1.892,8	2.488,2

TUBI SERRAMENTI - WINDOW FRAMES € /100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
1-A	zinc.	376,9				
1-B	zinc.	474,1				
1-C	zinc.	441,5				
2-A	zinc.	385,0				
11-A	zinc.	295,7				
11-B	zinc.	344,5				
11-C	zinc.	352,8				
15-A	zinc.	433,6				
15-T	zinc.	514,8				
15-Z	zinc.	514,8				
16-A	zinc.	498,5				
16-B	zinc.	498,5				
16-D	zinc.		1.004,8			
16-Z	zinc.	555,0				
SF1B	zinc.	485,7				
SF2B	zinc.	568,7				
SF3B	zinc.	568,7				

TUBI TONDI - ROUND TUBES € /100 mt.

Spessore - Thickness mm.

dimensioni		1,50	2,00	2,50	3,00	4,00
18	zinc.	138,9				
20	zinc.	145,0	184,8			
25	zinc.	190,8	246,5			
26,9	zinc.	207,7	267,0	321,6		
28	zinc.	200,5	257,7	325,1		
30	zinc.	215,4	277,5	335,9		
32	zinc.	231,1	294,6	357,0		
33,7	zinc.	239,3	308,5	365,5	434,1	
35	zinc.	252,6	326,1	393,3		
38	zinc.	273,8	354,5	416,5		
40	zinc.	293,2	379,5	433,7	533,0	
42,4	zinc.	306,5	396,4	467,8	556,6	
45	zinc.	332,6	430,1	514,5	610,2	
48,3	zinc.	346,6	454,3	536,4	640,4	
50	zinc.	370,0	480,2	585,0	694,6	
60,3	zinc.	442,4	573,3	677,4	810,1	1.100,1
70	zinc.	522,6	680,0	831,2	990,4	
76,1	zinc.	563,8	734,0	871,1	1.043,0	1.407,7
80	zinc.	609,8	794,0	971,4		
88,9	zinc.	667,1	870,2	1.032,9	1.237,1	1.689,8
101,6	zinc.		996,0	1.183,8	1.418,3	1.941,3
114,3	zinc.		1.123,3	1.340,9	1.601,9	2.194,3
127	zinc.		1.262,3		1.801,4	2.445,3

GENERAL TERMS AND CONDITIONS OF SALE

1. FIELD OF APPLICATION

- 1.1 The Seller party shall mean the company supplying the products to be delivered, which shall issue an invoice for the same products.
- 1.2 The Buyer party shall mean the holder of the invoices for the products in question.
- 1.3 These General Terms and Conditions of Sale govern all present and future contractual relations between the parties on the terms described below and/or on the basis of any further agreement specified in writing between the parties and shall apply as soon as they are approved in writing by the Buyer.
- 1.4 Unless specifically approved in writing by the Seller, any divergent general or special conditions quoted or referred to by the Buyer in its communications to the Seller shall be deemed to have no effect.

2. OFFERS

- 2.1 Offers are subject to availability checks and are always "subject to sale".
- 2.2 Offers of prices and/or goods are not binding for Profiltubi if they are not followed by an order from the customer and its confirmation by Profiltubi.

3. CUSTOMER ORDERS – ACCEPTANCE

- 3.1 The supply relationship is governed exclusively by the agreements set out in these General Terms and Conditions of Sale. The parties may agree to any amendments, additions or derogations to the aforementioned General Terms and Conditions of Sale, which must be set out in writing in the documents containing the buyer's request for an offer of sale and the seller's acceptance thereof.
- 3.2 Orders must be complete and defined in every part and must indicate the reference standard for each specific product. If the order does not contain any special requirements, the goods will be delivered according to the characteristics of the reference standard for the relevant type.

4. CONFIRMATION OF SALES ORDER

- 4.1 The supply will include only what is specified in the confirmation of the sales order or in any subsequent modification of the same, transmitted by Profiltubi.
- 4.2 The confirmation of the sale order shall prevail, in any event, over any other document.
- 4.3 The confirmation of the sale order will be considered accepted by the Buyer if not contested by him in writing within 2 days from the date of sending by Profiltubi.
- 4.4 The nominal weights and dimensions, in any case and wherever indicated, are merely indicative, allowing the tolerances for use foreseen by the reference standards of the products.

5. SHIPMENTS

- 5.1 Shipments shall be carried out in accordance with the procedures set out on the sales order confirmation. The transport of the goods does not allow for fixed times of unloading and is carried out according to the norms of the Highway Code (D.Lgs. n. 285/1992 e s.m. e i.). The facts that prevent or delay the shipment of the products for reasons not attributable to Profiltubi such as, by way of example but not limited to, delayed supplies of raw materials, import bans, strikes (including company strikes) and other facts that prevent or delay the production and/or processing of the products (always for reasons not attributable to the

Seller) are conventionally considered force majeure and/or unforeseeable circumstances and the Seller, after promptly informing the Buyer, shall be relieved of its delivery obligations for the entire duration of the impediment and for the entire period of time in which the consequent effects continue, as well as of any obligation to pay damages for delay or non-fulfilment towards the Buyer.

- 5.2 Unless otherwise agreed in writing between the parties, the delivery term is the one indicated in the order confirmation of Profiltubi. This term is always intended as indicative and not binding, unless otherwise agreed upon in writing. Any binding delivery terms requested by the Buyer must therefore be specifically approved by Profiltubi in writing in the order confirmation.

6. TERMS OF PAYMENT

- 6.1 The price of the sale is stated in the Invoice as well as the method of payment; the place of payment is at the Seller's place of business.
- 6.2 It remains the Seller's right to request payment by bank transfer or cheque upon notice of readiness for shipment.
- 6.3 The Seller shall have the right to grant extended payment terms against issuance of bank receipts, bills of exchange, promissory notes, assignments or drafts, with costs and stamps payable by the Buyer, who shall in any case be charged interest on arrears. This concession does not constitute a derogation from either the place of payment or the terms set out in the invoice and does not constitute novation of the obligation. Any dispute shall not entitle the Buyer to suspend or modify the agreed payment terms.

7. PAYMENTS AND PRODUCT PROPERTY (Reserved Domain)

- 7.1 The Buyer shall acquire ownership of the products only upon full payment of the invoice issued by the Seller, but shall assume all risks inherent in the products themselves, including the risk of loss due to causes not attributable to the Seller. In the event of late payment, the Buyer shall pay interest on arrears at the rate determined in accordance with Legislative Decree no. 231 of 09.10.2002, starting from the date of expiry of the agreed term.
- 7.2 In the event of non-payment on the due date of even a single part of the price, the Purchaser shall forfeit the benefit of deferred payment ("benefit of the term") also for supplies in progress; the Seller, moreover, may invoke the application of articles 1460 and 1461 of the Civil Code and therefore suspend supplies in progress.
- 7.3 The Seller is entitled, without delay or withdrawal, to demand the return of the reserved goods if the Buyer is in arrears with payment of the invoices for the relevant delivery.

8. WITHDRAWAL FROM CONTRACT

The Seller shall also have the right to withdraw from the contract at no charge if it is aware of the existence of protests of securities, as well as the start of monitoring, ordinary, insolvency or extrajudicial legal proceedings against the Buyer.

9. GUARANTEES

- 9.1 Profiltubi guarantees that the products supplied are in full compliance with the characteristics and conditions specified in the sales order confirmation. Profiltubi does not assume any responsibility for the applications and in any case the operations to which the material supplied will be subjected at the Buyer's premises or on his behalf.
- 9.2 The Buyer is obliged to respect the rules for the correct and safe use of the products, in conformity with the technical characteristics of the products and with what is indicated in

the technical sheets eventually supplied by Profiltubi. The Buyer is also obliged and committed to respect the norms in force regarding environment, safety and hygiene.

- 9.3 Any damage due to transport is excluded from the warranty, even if the carrier has been chosen by the Seller.
- 9.4 Each warranty claim must be sent to the Seller with a written report indicating the non-conformities found, the checks carried out and any other useful information. The Seller reserves the right to request further information in order to identify the causes of the non-conformity.
- 9.5 Material deemed to be non-compliant must be returned to the Seller for inspection, only after written authorisation by the Seller. Any transport costs shall be borne by the Buyer.

10. COMPLAINTS

- 10.1 The Buyer is obliged to inspect the goods at the moment of unloading; eventual complaints must be reported on the transport document and within 48 hours from the receipt of the goods, under penalty of forfeiture, communicated in writing to Profiltubi.
- 10.2 The report of any hidden defects must be made in writing, under penalty of forfeiture, within 8 (eight) days of discovery, and in any case within 90 (ninety) days of receipt of the product. In any case the Buyer loses the guarantee if he does not immediately suspend the processing or the use of the product which is the object of the complaint. Profiltubi reserves the right to verify that the reported defects are not related to inadequate or careless storage and/or handling of the products by the Buyer.
- 10.3 In case the complaint is well-founded after verification by Profiltubi, the compensation will be limited to the replacement or the payment of the equivalent amount of the product. In any case Profiltubi is not responsible for the greater damages caused directly or indirectly by the sale of the products subject to complaint.
- 10.4 Complaints and protests do not entitle the Buyer to suspend payment of the invoice for the disputed goods.

11. RETURNS

Profiltubi is not obliged to accept returns of products, unless otherwise agreed upon in writing. Any cost incurred for this purpose is at the expense of the Buyer.

12. SAFEGUARD CLAUSE

In addition to the cases of fortuitous event and/or force majeure and in the other cases foreseen by the law, including the state of alarm, mobilization, blockade or war also in countries that supply raw materials, strikes and staff unrest, occupation of factories, lock-outs, fires, floods, public calamities, etc., as well as in the case of possible measures and dispositions of the Public Authorities intended to limit and in any case discipline the consumption of certain raw materials, and the production and distribution of steel and finished products, Profiltubi will have the right to make use of all the possibilities offered by the law, as well as in the case of eventual measures and dispositions of the Public Authorities intended to limit and in any case discipline the consumption of certain raw materials, and the production and distribution of steel and finished products, Profiltubi will have the right to recede, in whole or in part, from the sales contract definitively concluded, as well as from those in the course of being defined when facts and circumstances occur, wherever they occur, that substantially alter the state of the markets, the value of the currency and the conditions of Italian industry. In these cases and in general, when Profiltubi withdraws from the contract for an impediment that does not depend on its own fact or fault, the buyer will

not have the right to any indemnity, compensation or reimbursement and must, if requested by Profiltubi, pay for the goods already prepared or in progress.

13. REGULATORY STANDARDS

Anything not expressly governed by these "General Terms and Conditions of Sale" shall be governed by the rules on sales laid down in Articles 1470 et seq. of the Civil Code.

14. PROCESSING OF PERSONAL DATA.

The personal data of the Buyer will be treated in accordance with the provisions of the Italian and supranational applicable legislation (Legislative Decree 30.6.2003 n. 196 and GDPR 679/2016).

By signing this contract the Buyer gives consent to the processing of his personal data, also declaring that he has been adequately informed by Profiltubi regarding the purpose of the processing and the rights under Art. 7 of Legislative Decree 30.6.2003 n. 196 and GDPR 679/2016.

15. LEGAL PRESCRIPTIONS

The Seller reserves the right to modify all the technical characteristics of the products deemed necessary at any time and without prior notice. The Seller undertakes in any case to preserve the interchangeability of its products and their functionality.

16. APPLICABLE LAW AND COMPETENT COURT

Any dispute deriving from the interpretation, application, execution, termination of these "General Conditions of Sale" and of the relative contracts stipulated or in any case related to them, shall be devolved exclusively to the jurisdiction of the Court of Reggio Emilia, even in case of connection of causes, with application of Italian law.

Profiltubi SpA

January 2021

PURSUANT TO AND FOR THE PURPOSES OF ART. 1341 OF THE ITALIAN CIVIL CODE, THE PURCHASER SPECIFICALLY APPROVES THE PROVISIONS REFERRED TO BELOW: ART. 1 - SCOPE; ART. 5 - SHIPPING; ART. 7 - PAYMENTS AND OWNERSHIP OF THE PRODUCT; ART. 8 - WITHDRAWAL; ART. 9 - GUARANTEES; ART. 10 - COMPLAINTS; ART. 12 - SAFEGUARD CLAUSE; ART. 16 - APPLICABLE LAW AND COMPETENT COURT.

This document is a courtesy translation in English language of the Italian version of the General Terms and Conditions of Sale of Profiltubi S.p.A.. This translation has been prepared by Profiltubi S.p.A. for the exclusive purpose of facilitating the reading of the Italian text. Profiltubi S.p.A. does not assume or accept any responsibility for the correctness of the translation of the General Terms and Conditions of Sale. The Italian text (Condizioni generali di vendita - available on the website www.profiltubi.it) will be the only one with legal value and will prevail in case of possible divergence with the English translation, or omissions within the same.



Direzione e stabilimento:

Viale A. Grandi 7 e 9 – 42046 REGGIOLO (RE) – Italy

Tel: (+39) 0522 971421 r.a.

Mail:

commerciale.italia@profiltubi.it

export@profiltubi.it